

P120

HIGH-PERFORMANCE GENERAL PURPOSE RECORDING MICROPHONE

AKG[®]
by HARMAN



HIGHLIGHTS

Rugged all-metal body and robust design
withstands tough day-to-day use

Switchable bass-cut filter
eliminates rumble or footfall noise

Switchable attenuation pad
for high SPL applications up to 150 dB dB SPL

KEY MESSAGE

The P120 is a 2/3-inch diaphragm true condenser microphone that offers solidly built quality, outstanding performance and excellent value. The low-mass diaphragm delivers a clear sound with accurate sonic detail for vocals, speech and instrument recording in project studios and for home recording.

P120

HIGH-PERFORMANCE GENERAL PURPOSE RECORDING MICROPHONE

AKG[®]
by HARMAN

APPLICATIONS

PROJECT STUDIOS
HOME RECORDINGS
STAGE

TECHNICAL SPECIFICATIONS

Audio frequency bandwidth:	20 to 20000 Hz
Equivalent noise level:	19 dB-A
Sensitivity:	24 mV/Pa
Signal to Noise:	75 dB-A
Preamplification Pad:	-20 dB
Bass Cut Filter:	300 -6 dB/octave Hz
Electrical Impedance:	≤200 Ohms
Recommended load impedance:	≥1000 Ohms
Polar Patterns:	Cardioid

Audio Output

Type:	Balanced XLR
Gender:	Male
Contacts:	3-pin

Dimensions/Weight

Length:	165mm
Diameter:	54mm
Net Weight:	453 g (16 oz)



INCLUDED ACCESSORIES

Stand Adapter



AKG ACOUSTICS, U.S. 8400 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.
AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA, AUSTRIA

© 2017 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries. Features, specifications and appearance are subject to change without notice.

www.ake.com/pro